

Product data sheet

Guide rail Boxer 12 mm

*



With an overall height of 12 mm and slim lever for standard rebates

AREAS OF APPLICATION

- Single leaf doors
- Integrated installation
- Installation situations with little installation space
- Right and left single-action doors
- For doors with narrow rebate

Guide rail Boxer 12 mm *



PRODUCT FEATURES

- Very small dimensions of only 12 mm height and 20 mm width
- With screwed sliding block
- Geometry optimised for narrow door rebate

TECHNICAL DATA

Productname	Guide rail Boxer 12 mm *
Length	440 mm
Width	20 mm
Height	12 mm
opening restrictor upgradable	Yes
Hold-open function	Optional
Smoke switch integrated	No

VARIANTS / ORDER INFO

Designation

Guide rail Boxer 12 mm *

Guide rail Boxer 12 mm *

ACCESSORIES

FLEXIBLE OPENING RESTRICTOR

for Boxer 12 mm guide rail



Designation

Flexible opening restrictor

Guide rail Boxer 12 mm *



MECHANICAL HOLD-OPEN UNIT

for Boxer 12 mm guide rail



Designation

Mechanical hold-open unit

* The products designated above may vary in form, type, characteristics, function, or availability depending on the country. Please get in touch with your GEZE contact person if you have any questions.